

Multi-Fruit Juicer







The Perfect Squeeze™

FRUIT AND VEGETABLE PROCESSING

jbtc.com/foodtech

The Perfect Squeeze™

Delivers the best tasting citrus juice at the highest yields.

Image Builder

The ultimate point-of-sale image builder, freshly squeezed orange juice and lemonade made in view of your customer fresh every day is perfect for hotels, restaurants, coffee shops, grocery stores and juice bars.

So, if your plans call for offering a fresh and natural product like fresh squeezed orange juice or fresh squeezed lemonade, let your consumers experience juices made with the Fresh'n Squeeze Multi-Fruit Juicer.

Whole Fruit Extraction Principle

JBT extraction technology provides customers with a compact juicer that uses the same patented "whole fruit extraction principle" used in our renowned industrial extractors.

JBT extractors, the global leader in citrus juice processing technology, currently process over 75% of citrus juices produced worldwide.

Juice Quality

The basic principle of instantaneous separation is the major reason for the superior quality juice delivered by the Fresh'n Squeeze Multi-Fruit Juicer.

The design of our juicer instantaneously separates juice from peel, seed and albedo components which, if allowed to stay in contact with the juice, have an adverse effect on flavor.






Operator interface




Multi-Fruit Juicer Specifications

STANDARD CITRUS JUICING COMPONENTS	
diameter 2-1/2" (63.5 mm) to 3-7/8" (98 mm)	
Per 40 lb. (18 kg) Carton, 138 to 48	
Per 40 lb. (18 kg) Carton, 56 to 48	
Per 40 lb. (18 kg) Carton, 138 to 95	
Juices all types of citrus fruit without adjustment	
Strainer tubes for various juice pulp requirements	

TECHNICAL SPECIFICATIONS (METRIC SHOWN IN BRACKETS)	
THROUGHPUT (depending on fruit size, type and quality)	25 fpm - Fast 29 fpm - Faster 33 fpm - Fastest
FRUIT HOPPER CAPACITY	80 lb. (36 kg) of fruit - 2 Cartons
PROCESSING SPEED (depending on fruit size, type and quality)	85-222 quarts (between 80 and 210 lt/hr)
RESERVOIR CAPACITY	3.5 gal (13.2 liters) - 1 Carton
ELECTRICAL REQUIREMENTS	1.5 HP (1.1 kW), 110/220 V, 60/50 Hz, 20/10 A, single phase
SAFETY FEATURES	Completely enclosed magnetic coated safety interlock switches Front and rear locks on caster wheels Keyed front door
FINISH	Stainless steel Mirrored stainless steel drip tray
WEIGHT	725 lbs., Shipping Wt. 850 lbs.
WASTE CONTAINER	Holds 40 lbs. (18 kg)







c⊕us (€

NSE

WE ARE YOUR SINGLE SOURCE FOR PROFITABLE PROCESSING SOLUTIONS

JBT is a leading provider of integrated food processing solutions. From single machines to complete processing lines, we enhance value and capture quality, nutrition and taste in food products. With a local presence on six continents, JBT can quickly provide our customers and partners in the food processing industry with the know-how, service, and support needed to succeed in today's competitive marketplace.

JBT LIQUID FOODS

FRESH PRODUCE TECHNOLOGIES | FRUIT AND VEGETABLE PROCESSING | SECONDARY PROCESSING | ASEPTIC SYSTEMS | FILLING AND CLOSING | IN-CONTAINER STERILIZING | HIGH-PRESSURE PROCESSING | POWDER PROCESSING | TUNA PROCESSING



Distributor:



1-800-627-2886 sales@juicernet.com www.juicernet.com



We're with you, right down the line.™

hello@jbtc.com | freshnsqueeze.com | jbtc.com/foodtech

